

ESPAÑA ACERO	FRANCIA AFNOR	UK B.S.	ALEMANIA DIN	U.R.S.S. GOST	ITALIA UNI	U.S.A SAE/ASTM
F-1110	XC-12	050A12	CK-15	15	C-16	1015
F-1120	XC-25	060A22	CK-25	25	C-20	1025
F-1130	XC-35	060A35	CK-35	35	C-35	1035
F-1131	XC-32	060A32	CK-34	30	C-31	1030
F-1132	XC-38	060A37	CK-35	40	C-36	1038
F-1140	XC-45	060A45	CK-46	45	C-46	1045
F-1141	XC-42	060A42	CK-42	40	C-40	1040
F-1142	XC-48	060A47	CK-48	50	C-46	1046
F-1150	XC-55	060A55	CK-55	55	C-56	1055
F-1200	38C2	—	37Cr2	—	—	—
F-1201	38C4	530A36	37Cr4	38XA	40Cr4	5135
F-1202	45C4	530A40	41Cr4	40X	40Cr4	5140
F-1203	40M5	150M36	36Mn5	40G2	—	1541
F-M52	20M5	120M19	St52.3	—	20Mn5	1522
F-1250	35CD4	709M40	35CrMo4	35XM	35CrMo4	4137
F-1251	25CD4	708A37	26CrMo4	30XM	30CrMo4	4130
F-1252	42CD4	708A42	42CrMo4	38XM	40CrMo4	4140
F-1204	—	945M38	—	—	—	8740
F-1260	40NCD16	835M30	35NiCrMo16	—	35NiCrMo15	—
F-1262	35NCD12	—	27NiCrMo13	38XN3MA	30NiCrMo12	—
F-1270	35NCD7	817M40	35NiCrMo7	30XN2MA	40NiCrMo7	4340
F-1272	35NCD7	817M40	35NiCrMo7	40XN2MA	40NiCrMo7	4340
F-1280	35NCD4	945A40	36NiCrMo4	—	38NiCrMo4	—
F-1282	38NCD4	945A40	36NiCrMo4	—	40NiCrMo7	—
F-1510	XC-10	060A10	CK-10	10	C-10	1010
F-1511	XC-18	050A17	CK-15	15	C-16	1015
F-1515	20M5	150M19	19Mn5	—	—	1522
F-1516	16MC5	527A19	16MnCr5	18XG	20MnCr5	—
F-1523	18CD2	—	20MoCr4	20XM	—	—
F-1550	18CD4	—	16CrMo4	20XM	25CrMo4	—
F-1551	12CD4	—	12CrMo4	—	12CrMo4	—
F-1540	14NC11	—	14NiCr10	20XN3A	15NC11	3415
F-1580	20NC6	637H17	15CrNi6	20XN	20CrNi4	3120
F-1581	20NC6	637H12	15CrNi6	20XN	20CrNi4	3120
F-1522	20NCD2	805A20	21NiCrMo2	—	20NiCrMo2	8620
F-1524	25NCD4	—	21NiCrMo22	—	—	8822
F-1525	19NCD7	805A20	17NiCrMo6	20XN2M	18NiCrMo7	4320
F-1560	16NCD13	832H13	19NiCrMo4	14X2N3MA	16NcrMo12	9310
F-145	50S7	250A45	46Si7	50S2	50Si7	—
F-144	55S7	250A53	55Si7	55S2	—	9255
F-140C	60SC7	527A60	58SiCr8	55S2X	60SiCr8	9262
F-143	50CV4	735A50	50CrV4	40XFA	50CrV4	6150
F-TU.D	17D5	—	16Mo5	—	16Mo5	182F1
F-TU.E	13CD3.05	—	20CrMo4	—	—	182F2
F-TU.G	10CD4.05	—	17CrMo5.5	—	—	182F11
F-TU.H	12CD9.10	—	10CrMo9.10	—	12CrMo9.10	182F22
F-TU.I	—	—	7CrMo12.10	—	—	182F21
F-TU.J	Z12CD5	—	12CrMo19.5	—	—	182F5
F-TU.9	Z8CD8	—	—	—	—	182F9
F-10S	S-300	230M07	9SMn36	A-10G	9SMn23	1214
F-10SPb	S-300Pb	230M07L	9SMn36Pb	A-10GPb	9SMn23Pb	12L14
UROL	—	—	—	—	—	—
F-210G	36MF6	216M36	35S20	A-40G	—	1137
21B3	21B3	060A22B	C22B	20R	C20B	10B25
38B3	38B3	060A37B	C35B	40R	C36B	10B38
20MB5	20MB5	120M19B	20Mn5B	—	20Mn5B	15B22
38MB5	38MB5	120M36B	40Mn5B	35G2R	36Mn5B	15B41
38CB1	38CB1	—	37Cr2B	35XR	—	50B44
19NCB6	19NCB6	637H17B	15CrNi6B	12XN2R	20CrNi4B	31B20
19NCDB2	19NCDB2	805A20B	20NiCrMo2B	—	20NiCrMo2B	94B17